

Food and Drug Administration 9200 Corporate Boulevard Rockville MD 20850

## MAR - 5 2001

Mr. Klaus Vammen Managing Director Multicept A/S Lyngsø Allé 3 2970 Hørsholm DENMARK Re: K010096

MULTI CARE Therapeutic Vibrator

Dated: February 13, 2001 Received: February 15, 2001 Unclassified/ Procode: 78 LIL Regulatory Class: I (Exempt) 21 CFR §890.5975/Procode: 89 IRO

Regulatory Class: II

21 CFR §884.5960/Procode: 85 KXQ

Dear Mr. Vammen:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Current Good Manufacturing Practice requirements, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic QS inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4639. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "http://www.fda.gov/cdrh/dsma/dsmamain.html".

Sincerely yours

Daniel G. Schultz, M.D.

Captain, USPHS

Acting Director, Division of Reproductive, Abdominal, and Radiological Devices Office of Device Evaluation

Center for Devices and Radiological Health

## Indications for use statement

K010096 510(k) number

Multicept A/S **Applicant** 

**MULTI CARE Therapeutic Vibrator** Device Name:

The product is indicated for use in spinal Indications For Use

cord injured men with ejculatory dysfunction

to achieve ejaculation through penile

vibratory stimulation.

Prescription Use yes

Over-the-Counter Use: no

(Division Sign-Off) Division of Reproductive, Abdominal, ENT, and Radiological Devices

Prescription Use. (Per 21 CFR 801.109)